



ATTESTATION OF CONFORMITY

Product CAMERA
Models Annex Model List
Issued to Hangzhou Meari Technology Co., Ltd.
Address Building 4, Huiding Intelligent Innovation Center, No. 825, Ruquan Road, Changhe Street, Binjiang District, Hangzhou, Zhejiang, China
Trade Mark: N/A
Manufacturer Hangzhou Meari Technology Co., Ltd.
Attestation No.: 2466AS09OZJ56679
Technical characteristics Software Version: Ipc-base-security-1.0.0

The submitted sample of the above item has been tested for the below standard(s):

在此处键入文本

Standards	Report number	Report date
ETSI EN 303 645 V2.1.1 (2020-06)	OZJ-ESH-P24052240	2024/09/06

The product has been evaluated according to the ETSI TS 103 701 v1.1.1 and found in conformity to the ETSI EN 303 645 v2.1.1 standard. This includes security controls and data processing requirements implemented in the product contributing to the GDPR compliance of the overall solution. Additionally, cybersecurity requirements from PAS 1878:2021 were assessed and the tested device was found in conformity. This includes cyber security requirements listed in the Electric Vehicles (Smart Charge Points) Regulations 2021 in the United Kingdom. See annex for list of models and provisions details.

Shanghai (P.R. China), September 6th, 2024

Jacky Qiu
Jacky Qiu
Product Line Manager

This document shall not be reproduced, except in full, without the written approval of BV LCIE China. Information given in this document, are related to the tested specimen of the described electrical sample.



Annex Model List

Product model:

1. Baby XY, Bell XY, Bullet XY, DOME XY, Flight XY, Mini XY, Pet XY, Snap XY, Speed XY, Cell XY (X=1-99; Y= S, T, Q, F, H, M, SG, TG, QG, FG, C, X, SL, TL, QL, FL)
2. Jingle X, Base X (X=1-99)
3. Ainanny, Ainanny XY (X=B-Z ; Y=1-9)
4. OXY, MXY, INXY, PXY, OPXY, PETCAMXY, GOXY, WXY (X=1-99 ; Y= , T, Q, F, H, G), PXY (X=1-99; Y=TT)
5. DOME XY (X=1-99 ; Y=Pro)
6. Ainanny-Screen XY (X=0-99; Y= , SE, Pro)
7. MCXY ((X=1-99; Y=01-99)
8. MCABCD (A=1-99; B=01-99; C=E,P,W,G, D=1-99)
9. MCABCD-EIT (A=1-99; B=01-99; C=E,P,W,G; D=1-99; E=D,B,S)
10. MCABCD-EI (A=1-99; B=01-99; C=E,P,W,G; D=1-99; E=D,B,S)
11. MCABCD-E (A=1-99; B=01-99; C=E,P,W,G; D=1-99; E=D,B,S)
12. MRABC-I (A=1-99; B=1-10; C=1-99)
13. MRABC (A=1-99; B=1-10; C=1-99)

ETSI EN 303 645 TEST OVERVIEW

Reference	VERDICT
5.1 No universal default passwords	
Provision 5.1-1 M C	PASS
Provision 5.1-2 M C	INCONCLUSIVE
Provision 5.1-3 M	PASS
Provision 5.1-4 M C	PASS
Provision 5.1-5 M C	PASS
5.2 Implement a means to manage reports of vulnerabilities	
Provision 5.2-1 M	PASS
Provision 5.2-2 R	INCONCLUSIVE
Provision 5.2-3 R	INCONCLUSIVE
5.3 Keep software updated	
Provision 5.3-1 R	PASS
Provision 5.3-2 M C	PASS
Provision 5.3-3 M C	PASS
Provision 5.3-4 R C	INCONCLUSIVE
Provision 5.3-5 R C	PASS
Provision 5.3-6 R C	INCONCLUSIVE
Provision 5.3-7 M C	PASS
Provision 5.3-8 M C	PASS
Provision 5.3-9 R C	PASS
Provision 5.3-10 M C	PASS
Provision 5.3-11 R C	INCONCLUSIVE
Provision 5.3-12 R C	INCONCLUSIVE
Provision 5.3-13 M	PASS
Provision 5.3-14 R C	INCONCLUSIVE
Provision 5.3-15 R C	INCONCLUSIVE
Provision 5.3-16 M	PASS
5.4 Securely store sensitive security parameters	
Provision 5.4-1 M C	PASS
Provision 5.4-2 M C	PASS
Provision 5.4-3 M	PASS
Provision 5.4-4 M C	PASS
5.5 Communicate securely	

ETSI EN 303 645 TEST OVERVIEW

Reference	VERDICT
Provision 5.5-1 M	PASS
Provision 5.5-2 R	INCONCLUSIVE
Provision 5.5-3 R	INCONCLUSIVE
Provision 5.5-4 R C	INCONCLUSIVE
Provision 5.5-5 M C	PASS
Provision 5.5-6 R C	PASS
Provision 5.5-7 M C	PASS
Provision 5.5-8 M C	PASS
5.6 Minimize exposed attack surfaces	
Provision 5.6-1 M	PASS
Provision 5.6-2 M	PASS
Provision 5.6-3 R	INCONCLUSIVE
Provision 5.6-4 M C	PASS
Provision 5.6-5 R	INCONCLUSIVE
Provision 5.6-6 R	INCONCLUSIVE
Provision 5.6-7 R	INCONCLUSIVE
Provision 5.6-8 R	INCONCLUSIVE
Provision 5.6-9 R	INCONCLUSIVE
5.7 Ensure software integrity	
Provision 5.7-1 R	INCONCLUSIVE
Provision 5.7-2 R	INCONCLUSIVE
5.8 Ensure that personal data is secure	
Provision 5.8-1 R C	INCONCLUSIVE
Provision 5.8-2 M C	PASS
Provision 5.8-3 M C	PASS
5.9 Make systems resilient to outages	
Provision 5.9-1 R	INCONCLUSIVE
Provision 5.9-2 R	PASS
Provision 5.9-3 R	PASS
5.10 Examine system telemetry data	
Provision 5.10-1 R C	INCONCLUSIVE
5.11 Make it easy for users to delete user data	
Provision 5.11-1 M	PASS

ETSI EN 303 645 TEST OVERVIEW

Reference	VERDICT
Provision 5.11-2 R C	INCONCLUSIVE
Provision 5.11-3 R C	INCONCLUSIVE
Provision 5.11-4 R C	PASS
5.12 Make installation and maintenance of devices easy	
Provision 5.12-1 R	INCONCLUSIVE
Provision 5.12-2 R	INCONCLUSIVE
Provision 5.12-3 R	INCONCLUSIVE
5.13 Validate input data	
Provision 5.13-1 M C	INCONCLUSIVE
6. Data protection provisions for consumer IOT	
Provision 6-1 M C	PASS
Provision 6-2 M C	PASS
Provision 6-3 M C	INCONCLUSIVE
Provision 6-4 R C	INCONCLUSIVE
Provision 6-5 M C	INCONCLUSIVE
Notes: <ul style="list-style-type: none"> ▪ M: the provision is a mandatory requirement ▪ R: the provision is a recommendation ▪ MC: the provision is a mandatory requirement and conditional ▪ RC: the provision is a recommendation and conditional 	